

FLIGHT REPORT

NORTH DAKOTA ATMOSPHERIC RESOURCE BOARD SFN 50864(12/2014)

| | ENGINES OFF | HOURS | | PAGE # | OF | |
|---|-------------|---------------|----------------|-------------|----|--|
| | 02:49:03 | 4.08 | | 1 | 3 | |
| Ī | ENGINES ON | DRY ICE RATE | 1 GEN | 2 GEN | | |
| | 22:44:00 | 0 | 1.10 | 0.78 | | |
| ſ | TOTAL TIME | DRY ICE (lbs) | EJCTBL (grams) | BIP (grams) | | |
| | 04:05:03 | 0.00 | 0 | (|) | |

| DATE | | DISTRICT | SEED# | PILOT | | | | COPILOT | | | | | | Rain H - Hail O - Other |
|-----------------|------------|-------------------|-----------|-------------------|-------------------|---------------------|-----------------|------------------|---------------|-------------|-----|-------------------|-----------------------------------|-------------------------|
| June 29, 2017 | | 2 | 8 | Alex Browne | | | Matthew Adamski | | | | | | - Maintenance - Reconnaissance | |
| Time (HH:MM) | EVENT # | LATITUDE (deg) | LONGITUDE | CLD BASE (kft) | ALTITUDE (KFT) | UPDRAFT (FT/MIN) | TEMP (°C) | PRECIP CODE** | DRY ICE (sec) | FL <i>A</i> | RES | WINTIP GEN (#) | • | REMARKS |
| (HH:IVIIVI) | # | (deg) | (deg) | (KIL) | (KFI) | (F1/WIIN) | (*0) | CODE | (300) | | | OLIV (#) | Engines on in Ke | amara |
| 22:44:12 | | 48.66868 | -102.0552 | | 1.9 | | | | | 0 | 0 | 0 | Linginies on in Re | iiilaie. |
| 22:54:14 | | 48.65939 | -102.1188 | | 3.4 | | | | | 0 | 0 | 0 | | |
| 23:04:19 | | 48.57787 | -102.3337 | | 4.8 | | | | | 0 | 0 | 0 | | |
| 23:14:24 | | 48.64247 | -102.6710 | | 4.0 | | | | | 0 | 0 | 0 | | |
| 23:24:27 | | 48.81885 | -102.5914 | | 3.9 | | | | | 0 | 0 | 0 | | |
| 23:24:59 | 1 | 48.80440 | -102.5731 | 6 | 3.9 | 100 | 10 | 0 | | 0 | 0 | 1 | Right burner on. | |
| 23:28:45 | 2 | 48.77915 | -102.5271 | 5 | 3.9 | 0 | 10 | 0 | | 0 | 0 | 0 | Right burner off. | |
| 23:30:24 | 3 | 48.74506 | -102.4891 | 5.5 | 3.9 | 100 | 10 | 0 | | 0 | 0 | 1 | Right burner on. | |
| 23:40:25 | | 48.73140 | -102.4802 | | 4.1 | | | | | 0 | 0 | 1 | | |
| 23:45:21 | 4 | 48.71313 | -102.4092 | 5 | 4.1 | 0 | 10 | 0 | | 0 | 0 | 0 | Right burner off. | |
| 23:48:10 | 5 | 48.64066 | -102.2918 | 5.5 | 5.0 | 200 | 8 | 0 | | 0 | 0 | 1 | Right burner on. | |
| 23:50:14 | 6 | 48.64080 | -102.3328 | 6 | 4.7 | 300 | 8 | 0 | | 0 | 0 | 0 | Right burner off. | |
| 23:53:52 | 7 | 48.54456 | -102.2323 | 6 | 3.9 | 200 | 10 | 0 | | 0 | 0 | 1 | Right burner on. | |

**PRECIPITATION INTENSITY

- 0 No Precipitation
- 1 virga only, precip not to ground
- 2 rain shaft to surface, light
- 3 rain shaft well established, but can be seen through
- 4 heavy rain shaft, cannot be seen through

MISSION SUMMARY

Departed Kenmare to the west and found spotty inflow not more than a few hundred feet per minute. One burner was turned on. We flew from cell to cell to find inflow, and we turned the burner off between each cell. We then departed to the southwest towards a cell west of New Town and one burner was tuned on. Several hundred feet of inflow was observed and we were instructed to turn on the second burner. We followed the cell from near New Town to the buffer zone in the southeast of the district where it dissipated rapidly. Both burners were turned off and we RTB Kenmare.



FLIGHT REPORT

NORTH DAKOTA ATMOSPHERIC RESOURCE BOARD SFN 50864(12/2014)

| ſ | ENGINES OFF | HOURS | | PAGE # | OF | |
|---|-------------|---------------|----------------|-------------|----|--|
| | 02:49:03 | 4.08 | | 2 | 3 | |
| Ī | ENGINES ON | DRY ICE RATE | 1 GEN | 2 GEN | | |
| | 22:44:00 | 0 | 1.10 | 0.78 | | |
| ſ | TOTAL TIME | DRY ICE (lbs) | EJCTBL (grams) | BIP (grams) | | |
| | 04:05:03 | 0.00 | 0 | (|) | |

| DATE | | DISTRICT | SEED# | PILOT | | | | COPILOT | | | | | PURPOSE | R - Rain H - Hail O - Other | |
|---------------|-------|----------|-----------|-------------|----------|----------|------|---------|---------|------------|-------------|---------|---------------------------------------|-----------------------------|--|
| June 29, 2017 | | 2 | 8 | Alex Browne | | | | | Matthe | ew Ada | amski | Н | M - Maintenance C - Reconnaissance | | |
| Time | EVENT | LATITUDE | LONGITUDE | CLD BASE | ALTITUDE | UPDRAFT | ТЕМР | PRECIP | DRY ICE | FL/ EJC | ARES BIP | WINTIP | | REMARKS | |
| (HH:MM) | # | (deg) | (deg) | (kft) | (KFT) | (FT/MIN) | (°C) | CODE** | (sec) | 230 | DIF | GEN (#) | | | |
| 00:00:11 | 8 | 48.37565 | -102.3236 | 5.5 | 3.6 | 300 | 11 | 0 | | 0 | 0 | 0 | Right burner | off. | |
| 00:10:12 | | 48.11078 | -102.6216 | | 3.5 | | | | | 0 | 0 | 0 | | | |
| 00:20:17 | | 47.84977 | -102.6778 | | 3.7 | | | | | 0 | 0 | 0 | | | |
| 00:30:18 | | 48.13722 | -102.4996 | | 4.2 | | | | | 0 | 0 | 0 | | | |
| 00:32:25 | 9 | 48.19617 | -102.5409 | 5.5 | 4.2 | 200 | 9 | 0 | | 0 | 0 | 1 | Right burner | on. | |
| 00:42:26 | | 48.21685 | -102.3706 | | 3.7 | | | | | 0 | 0 | 1 | | | |
| 00:44:37 | | 48.19563 | -102.3598 | 5.2 | 3.8 | 400 | 10 | 0 | | 0 | 0 | 1 | | | |
| 00:48:26 | 10 | 48.19586 | -102.2836 | 5.5 | 3.9 | 200 | 10 | 0 | | 0 | 0 | 2 | Left burner or | 1. | |
| 00:58:32 | | 48.17299 | -102.2393 | | 3.9 | | | | | 0 | 0 | 2 | | | |
| 01:08:37 | | 48.11468 | -102.1974 | | 3.8 | | | | | 0 | 0 | 2 | | | |
| 01:18:38 | | 48.09060 | -102.0981 | | 3.9 | | | | | 0 | 0 | 2 | | | |
| 01:28:40 | | 48.05619 | -101.9639 | | 3.9 | | | | | 0 | 0 | 2 | | | |
| 01:35:14 | 11 | 48.01042 | -101.9573 | 4 | 3.7 | 100 | 13 | 0 | | 0 | 0 | 1 | Left burner of | f. | |

**PRECIPITATION INTENSITY

- 0 No Precipitation
- 1 virga only, precip not to ground
- 2 rain shaft to surface, light
- 3 rain shaft well established, but can be seen through
- 4 heavy rain shaft, cannot be seen through

MISSION SUMMARY

Departed Kenmare to the west and found spotty inflow not more than a few hundred feet per minute. One burner was turned on. We flew from cell to cell to find inflow, and we turned the burner off between each cell. We then departed to the southwest towards a cell west of New Town and one burner was tuned on. Several hundred feet of inflow was observed and we were instructed to turn on the second burner. We followed the cell from near New Town to the buffer zone in the southeast of the district where it dissipated rapidly. Both burners were turned off and we RTB Kenmare.



FLIGHT REPORT

NORTH DAKOTA ATMOSPHERIC RESOURCE BOARD SFN 50864(12/2014)

| | ENGINES OFF | HOURS | | PAGE # | OF |
|---|-------------|---------------|----------------|------------|----|
| | 02:49:03 | 4.08 | | 3 | 3 |
| ſ | ENGINES ON | DRY ICE RATE | 1 GEN | 2 GEN | |
| | 22:44:00 | 0 | 1.10 | 0.7 | 78 |
| ſ | TOTAL TIME | DRY ICE (lbs) | EJCTBL (grams) | BIP (grams | s) |
| | 04:05:03 | 0.00 | 0 | (|) |

| DATE | | DISTRICT | SEED# | PILOT | | | | COPILOT | | | | | PURPOSE | R - Rain H - Hail O - Other |
|----------|-------|----------|-----------|-------------|----------|----------|-----------------|---------|---------|------------|-------------|---------|---------------------------------------|-----------------------------|
| June 29, | 2017 | 2 | 8 | Alex Browne | | | Matthew Adamski | | | | | Н | M - Maintenance C - Reconnaissance | |
| Time | EVENT | LATITUDE | LONGITUDE | CLD BASE | ALTITUDE | UPDRAFT | TEMP | PRECIP | DRY ICE | FL/ EJC | ARES BIP | WINTIP | | REMARKS |
| (HH:MM) | # | (deg) | (deg) | (kft) | (KFT) | (FT/MIN) | (°C) | CODE** | (sec) | EJC | DIP | GEN (#) | | |
| 01:45:19 | | 47.93589 | -101.9022 | | 4.1 | | | | | 0 | 0 | 1 | | |
| 01:55:20 | | 47.86289 | -101.7992 | | 4.0 | | | | | 0 | 0 | 1 | | |
| 01:58:01 | 12 | 47.86500 | -101.7541 | 4 | 3.9 | 100 | 14 | 0 | | 0 | 0 | 0 | Right burner of | off. |
| 02:08:02 | | 47.87080 | -101.4940 | | 4.0 | | | | | 0 | 0 | 0 | | |
| 02:18:08 | | 48.15375 | -101.3432 | | 3.9 | | | | | 0 | 0 | 0 | | |
| 02:28:13 | | 48.35702 | -101.6157 | | 4.0 | | | | | 0 | 0 | 0 | | |
| 02:38:18 | | 48.56050 | -101.9345 | | 3.0 | | | | | 0 | 0 | 0 | | |
| 02:48:19 | | 48.66912 | -102.0555 | | 1.9 | | | | | 0 | 0 | 0 | | |
| 02:49:03 | | 48.66914 | -102.0555 | | 1.9 | | | | | 0 | 0 | 0 | Engines off in | Kenmare. |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

**PRECIPITATION INTENSITY

- 0 No Precipitation
- 1 virga only, precip not to ground
- 2 rain shaft to surface, light
- 3 rain shaft well established, but can be seen through
- 4 heavy rain shaft, cannot be seen through

MISSION SUMMARY

Departed Kenmare to the west and found spotty inflow not more than a few hundred feet per minute. One burner was turned on. We flew from cell to cell to find inflow, and we turned the burner off between each cell. We then departed to the southwest towards a cell west of New Town and one burner was tuned on. Several hundred feet of inflow was observed and we were instructed to turn on the second burner. We followed the cell from near New Town to the buffer zone in the southeast of the district where it dissipated rapidly. Both burners were turned off and we RTB Kenmare.